



# Aqua Chemical Supply, Inc.

183 Moore Street – Millersburg – PA – 17061  
Office 717-692-7369 / 1-866-375-2782 Fax 717-692-3280

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier: Acid Demand Reagent (ADR)  
Recommended use: Use as directed by manufacturer for purposes directly related to water testing.  
Recommended restrictions: None known

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

Taylor Technologies, Inc.  
31 Loveton Circle  
Sparks, MD 21152

Emergency telephone number: For emergency assistance involving chemicals call  
CHEMTREC day or night at: 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Physical hazards:

Corrosive to metals: Category 1

### Health hazards

Eye damage/irritation: Category 1

Skin corrosion/irritation: Category 1C

Specific target organ toxicity, single exposure: Category 3 respiratory tract irritation

Environmental hazards: Not currently regulated by OSHA; refer to section 12 of the SDS for additional information.



### Label elements

Signal word: Danger

Hazard statement: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

### Precautionary statement

Prevention: Keep only in original container. Do not breathe mist or vapor. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response: Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin with water.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing. Immediately call a physician or poison control center.

Storage: Store locked up. Store in a corrosive-resistant container with a corrosive-resistant liner.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified: May cause pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract.

Supplemental information: None

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition comments: All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Deionized water	Dihydrogen oxide	7732-18-5	95-99
Sulfuric Acid	Hydrogen sulfate; Oil of vitriol	7664-93-9	0.1-5

**4. FIRST AID MEASURES**

**Inhalation:** Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention immediately.

**Skin contact:** Immediately flush skin with running water for at least 20 minutes. Immediately take off all contaminated clothing. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

**Eye contact:** Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to a person who is unconscious or is having convulsions. Do NOT induce vomiting unless directed by physician. If vomiting occurs, keep head low so that stomach content does not get into the lungs.

**Most important symptoms/effects, acute and delayed:** Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

**Indication of immediate medical attention and special treatment needed:** Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep person under observation. Symptoms may be delayed.

**General information:** Ensure medical personnel are aware of the material(s) involved and take precautions to protect themselves.

**5. FIRE FIGHTING MEASURES**

**Suitable extinguishing media:** Water fog. Foam. Dry chemical powder. Carbon dioxide.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Firefighting equipment/instructions:** Firefighters should wear full protective gear. Evacuate the area promptly. Fight fire from upwind to avoid exposure to combustion products. Cool containers/tanks with water spray. Do not get water inside container. Move containers from fire area if it can be done without risk. Prevent fire- extinguishing water from contaminating surface water or the ground water system.

**Specific methods:** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards:** Not combustible; however, the product can react with metals to form flammable and explosive hydrogen gas.

**Hazardous combustion products:** Sulfur oxides. Other irritating fumes and smoke.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment, and emergency procedures:** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

**Methods and materials for containment and cleaning up:** This product is miscible in water.

**Large Spills:** Dike the spilled material where this is possible. Stop leak if it can be done without risk. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth, and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water.

**Small Spills:** Absorb spillage with noncombustible, absorbent material. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Dilute acid with water and neutralize with dilute base. If not recoverable, dilute with water or flush to

holding area and neutralize. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Environmental precautions: Avoid discharge into drains, watercourses, or onto the ground.

### 7. HANDLING AND STORAGE

Precautions for safe handling: Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from metals and other incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities: Store locked up. Store in corrosive-resistant container with a corrosive-resistant inner liner. Store in original tightly closed container. Keep only in the original container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS).

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

U.S. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Sulfuric acid (CAS 7664-93-9)	PEL	1 mg/m <sup>3</sup>	Not applicable

U.S. ACGIH Threshold Limit Values

Components	Type	Value	Form
Sulfuric acid (CAS 7664-93-9)	TWA	0.2 mg/m <sup>3</sup>	Thoracic fraction

U.S. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Sulfuric acid (CAS 7664-93-9)	TWA	1 mg/m <sup>3</sup>	Not applicable

Biological limit values: No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eyewash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment:

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.

Skin protection

Hand protection: Wear appropriate chemical-resistant gloves. Advice should be sought from glove suppliers.

Other: Wear appropriate chemical-resistant clothing.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fumes at levels exceeding the exposure limits. Advice should be sought from respiratory protection suppliers.

Thermal hazards: When necessary, wear appropriate thermal protective clothing.

General hygiene considerations: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contamination.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state: Liquid

Form: Liquid

Color : Clear, colorless, or nearly colorless

Odor:

Odorless Odor threshold: Not available

pH: 1.3

Melting point/freezing point: Not available

Initial boiling point and boiling range: 212°F (100°C)

Flash point: Not applicable (does not burn)

Evaporation rate: Not available

Flammability (solid, gas): Not applicable

Upper/lower flammability or explosive limits:	
Flammability limit, lower (%):	Not applicable
Flammability limit, upper (%):	Not applicable
Explosive limit, lower (%):	Not applicable
Explosive limit, upper (%):	Not applicable
Vapor pressure	17 mm Hg
Vapor density	0.6
Relative density	1.00 g/cm <sup>3</sup>
Solubility(ies)	
Solubility (water):	Soluble in all proportions
Partition coefficient: (n-octanol/water)	Not available
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not available
Viscosity:	Not available
Other information:	
Explosive properties:	Not applicable
Oxidizing properties:	Not applicable
Percent volatile:	100%
Specific gravity:	1.00

### 10. STABILITY AND REACTIVITY

Reactivity: This product is stable and nonreactive under normal conditions of use, storage, transport.

Chemical stability: Material is stable under normal conditions. Decomposes at ~ 644°F (340°C) to form sulfur trioxide.

Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use

Conditions to avoid: Contact with incompatible materials. Direct sunlight. Do not use in areas without adequate ventilation.

Incompatible materials: Metal compounds. Nitromethane. Oxidizing agents. Sugars.

Hazardous decomposition products: None known. For hazardous combustion products, refer to section 5 of the SDS.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: May cause irritation to the respiratory system.

Skin contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.

Ingestion: Causes digestive tract burns.

Most important symptoms/effects, acute and delayed: Direct skin contact may cause corrosive skin burns, deep ulcerations, and possibly permanent scarring. Direct contact with concentrated solutions may be corrosive to the eyes and may cause severe damage, including blindness. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Inhalation of mists can cause severe respiratory irritation. Symptoms may include coughing, choking, and wheezing. Inhalation could result in pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed. Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus, and possibly the digestive tract. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding.

Acute toxicity: This product is not classified as an acute toxicity hazard. See below for individual ingredient acute toxicity data.

Components	Species	Test Results
Sulfuric acid (CAS 7664-93-9)		
Acute		
Dermal		
LD50	Rabbit	Not available
Inhalation		
LC50	Rat	0.375 mg/L, 4 hours (mist)
Oral		
LD50	Rat	2140 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Respiratory sensitization: Not expected to be a respiratory sensitizer.

Skin sensitization: Not expected to be a skin sensitizer.

Germ cell mutagenicity: Not expected to be mutagenic.

Carcinogenicity: This product is not considered to be a carcinogen by IARC, NTP, OSHA, or U.S. ACGIH.

Occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans. The information located is insufficient to conclude that sulfuric acid itself is a carcinogen. IARC has concluded there is sufficient evidence that occupational exposure to strong inorganic acid mists containing sulfuric acid is carcinogenic to humans (Group 1). ACGIH has designated strong inorganic acid mists containing sulfuric acid as A2 (suspected human carcinogen). NTP has listed strong inorganic acid mists containing sulfuric acid as a known human carcinogen. These classifications are for inorganic acid mists containing sulfuric acid and do not apply to sulfuric acid or sulfuric acid solutions.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

Reproductive toxicity: This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity, single exposure: May cause respiratory irritation.

Specific target organ toxicity, repeated exposure: Not classified as a specific target organ toxicity – repeated exposure.

Aspiration toxicity: Not expected to be an aspiration hazard.

Chronic effects: Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: This product is not classified as environmentally hazardous; however, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Sulfuric acid (CAS 7664-93-9) – Aquatic		
Acute		
Algae		
EC50	Green algae ( <i>Pseudokirchneriella subcapitata</i> )	>100 mg/L, 72 hours
Crustacea		
EC50	Water flea ( <i>Daphnia magna</i> )	29 mg/L, 24 hours
Fish		
LC50	Bluegill ( <i>Lepomis macrochirus</i> )	16–28 mg/L, 96 hours

Persistence and degradability: Not available

Bioaccumulative potential: Not available

Mobility in soil: High water solubility indicates a high mobility in soil.

Other adverse effects: No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. DISPOSAL CONSIDERATION

Disposal instructions: Collect and reclaim or dispose of in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose of in accordance with all applicable regulations.

Hazardous waste code: The waste code should be assigned in discussion with the user, the producer, and the waste disposal company.

Waste from residues/unused products: Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (refer to Disposal instructions).

Contaminated packaging: Empty containers should be taken to an approved waste-handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. TRANSPORT INFORMATION

DOT

UN number: UN3264

UN proper shipping name: Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)

Transport hazard class(es) Class: 8

Subsidiary risk: Not listed

Label(s): 8  
 Packing group: III  
 Special precautions for user: Read safety instructions, SDS, and emergency procedures before handling.  
 Special provisions: IB3, T7, TP1, TP28  
 Packaging exceptions: 154  
 Packaging, non-bulk: 203  
 Packaging, bulk: 241  
 IATA:  
 UN number: UN3264  
 UN proper shipping name: Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)  
 Transport hazard class(es)  
 Class: 8  
 Subsidiary risk: Not listed  
 Packing group: III  
 Environmental hazards: Not listed  
 ERG code: 8L  
 Special precautions for user: Read safety instructions, SDS, and emergency procedures before handling.  
 Other information:  
 Passenger and cargo aircraft: Allowed  
 Cargo aircraft only: Allowed  
 IMDG  
 UN number: UN3264  
 UN proper shipping name: Corrosive liquid, acidic, inorganic, N.O.S. (Sulphuric acid)  
 Transport hazard class(es):  
 Class: 8  
 Subsidiary risk: Not listed  
 Packing group: III  
 Environmental hazards  
 Marine pollutant: Not listed  
 EmS: F-A, S-B  
 Special precautions for user: Read safety instructions, SDS, and emergency procedures before handling.  
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: This substance/mixture is not intended to be transported in bulk.  
 IATA; IMDG

US DOT



### 15. REGULATORY INFORMATION

U.S. federal regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated

CERCLA Hazardous Substance (40 CFR 302.4)

Sulfuric acid (CAS 7664-93-9)

SARA 304 Emergency Release Notification

Sulfuric acid (CAS 7664-93-9) 1000 lb.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096) Not regulated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories:

Immediate hazard — yes

Delayed hazard — no

Fire hazard – no

Pressure hazard – no

Reactivity hazard – yes

SARA 302 Extremely Hazardous Substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity (lb)	Threshold planning quantity (lower value)	Threshold planning quantity (upper value)
Sulfuric acid	7664-93-9	1000	1000	Not applicable	Not applicable

SARA 311/312 Hazardous Chemical

Not regulated

SARA 313 (TRI reporting)

Chemical name	CAS number	% by weight
Sulfuric acid	7664-93-9	0.1–5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Sulfuric acid (CAS 7664-93-9)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Sulfuric acid (CAS 7664-93-9) 6552

Drug Enforcement Administration (DEA). List 1 &amp; 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Sulfuric acid (CAS 7664-93-9) 20% W/V

DEA Exempt Chemical Mixtures Code Number

Sulfuric acid (CAS 7664-93-9) 6552

Safe Drinking Water Act (SDWA) Not regulated

U.S. state regulations

California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not regulated

Massachusetts Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

New Jersey Worker and Community Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

Pennsylvania Worker and Community Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

Rhode Island Right-to-Know Act Sulfuric acid (CAS 7664-93-9)

California Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65 - CRT: Listed date/carcinogenic substance

Sulfuric acid (CAS 7664-93-9): This product is not an inorganic acid mist containing sulfuric acid; therefore, the Proposition 65 statement does not apply.

International inventories

Country(ies) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	yes
Canada	Non-Domestic Substances List (NDSL)	no
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	yes
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	yes

\*A “yes” indicates that all components of this product comply with the inventory requirements administered by the governing country (ies). A “no” indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country (ies).

**16. OTHER INFORMATION**

## Notice

Aqua Chemical Supply, Inc. expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this SDS as a product specification. For product specification information refer to a product specification sheet and/or a certificate of analysis. These can be obtained from your local Aqua Chemical Supply, Inc. sales office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Aqua Chemical Supply, Inc. makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Aqua Chemical Supply, Inc.'s control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.